



- Use when a blade stop requires the Magnalock to be lowered
- Comes pre-drilled for the mounting bolts and wire
- Provides a blind nut for surface installation of strike
- · Available in clear aluminum or black anodized
- MagnaCare® lifetime replacement, no fault warranty

>> MODE	LS	PART #   Description	
ASB-32BK	Alum Frame Spacer Bra	icket - M32, Black Anodized	
ASB-32CL	Alum Frame Spacer Bra	Alum Frame Spacer Bracket - M32, Clear Anodized	
ASB-62BK	Alum Frame Spacer Bra	icket - M62, Black Anodized	
ASB-62CL	Alum Frame Spacer Bra	icket - M62, Clear Anodized	
ASB-82BK	Alum Frame Spacer Bra	icket - M82, Black Anodized	
ASB-82CL	Alum Frame Spacer Bra	cket - M82, Clear Anodized	
ASCWB-DM62CL	Alum 1 -1/2" Spacer - Co	oncrete/Wood Bracket, DM62, Clear	

## **ACCESSORIES**

## for M32/62/82 **Magnalocks**®







#### **CWB » CONCRETE/WOOD BRACKET**

- Used on wood or concrete filled metal frames
- · Provides a concealed wire chamber
- · Available in clear aluminum or black anodized
- · MagnaCare® lifetime replacement, no fault warranty

>> MODE	LS	PART #   Description
CWB-32BK	Concrete/Wood Bracke	et - M32, Black Anodized
CWB-32CL	Concrete/Wood Bracke	et - M32, Clear Anodized
CWB-62BK	Concrete/Wood Bracke	et - M62, Black Anodized
CWB-62CL	Concrete/Wood Bracke	et - M62, Clear Anodized
CWB-82BK	Concrete/Wood Bracke	et - M82, Black Anodized
CWB-82CL	Concrete/Wood Bracke	et - M82, Clear Anodized





#### **AOS » OFFSET STRIKE PLATE**

- Alters the position of the mounting hole by 1/4" [6mm]. This is often required to clear the glass on aluminum frame store front doors
- · Includes Offset Strike Plate only
- MagnaCare® lifetime replacement, no fault warranty

<b>≫</b> MODE	LS	PART#   Description
A0S-62	Strike Plate - M62, Offs	et
AOS-62D	Strike Plate - M62D, Offset	
A0S-82	Strike Plate - M82, Offset	









### ASS » SPLIT STRIKES/REPLACEMENT STRIKE PLATE

- Allows a single M32, M62 or M82 Magnalock to secure a double door at traffic control holding force level
- · Includes Split Strike Plates only
- MagnaCare® lifetime replacement, no fault warranty

>> MODELS		PART #   Description
ASS-32	Strike Plate M32 - Split Set w/ Fasteners & Sex Bolt	
ASS-62	Strike Plate M62 - Split Set w/ Fasteners & Sex Bolt	
ASS-82	Strike Plate M82 - Split Set w/Fasteners & Sex Bolt	






ASSA ABLOY, the global leader in door opening solutions

#### **ZA » Z BRACKET KITS - ADJUSTABLE**

- Use on in-swing doors with Magnalock "F" options (8-1/2" overall length)
- Provides 1-1/4" of lateral movement to accommodate most openings and allows for precision adjustments (2-1/4" to 3-1/2" from door/header)
- Includes an oversized dress cover
- MagnaCare® lifetime replacement, no fault warranty

>> MODELS		PART #   Description	
ZA-32/62BK	Adjustable Z-Bracket - M32/62, Black Anodized		
ZA-32/62CL	Adjustable Z-Bracket - M32/62, Clear Anodized		
ZA-32/62SS	Adjustable Z-Bracket - M32/62, Satin Stainless		
ZA-82BK	Adjustable Z-Bracket - M82, Black Anodized		
ZA-82CL	Adjustable Z-Bracket - M82, Clear Anodized		
ZA-82SS	Adjustable Z-Bracket - M82, Satin Stainless		



## **ACCESSORIES**

## for M32/62/82 Magnalocks<sup>®</sup>






#### **EASB » ENERGY ABSORBING SEX BOLT**

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare® lifetime replacement, no fault warrantyy

<b>≫</b> MODE	LS	PART#   Description
EASB-250	Energy Absorbing Bolt - 1/4" Spacer Kit	
EASB-32	Energy Absorbing Sex Bolt - Model 32	
EASB-62	Energy Absorbing Sex Bolt - Model 62	
EASB-82	Energy Absorbing Sex Bolt - Model 82	
DOOM STOP		







#### **TDK-1 » ACCESSORY FOR THICK DOORS**

- Provides replacement screws so armature plates for the M32, M62, M82, M38 and M68 can be used on doors thicker than 1-3/4", and up to 3"
- MagnaCare® lifetime replacement, no fault warranty

>> MODELS		PART#   Description
TDK-1	Thick Door Kit	



29





#### **SB-1 » SEX BOLT REPLACEMENT**

- Replaces armature plate sex bolt for M32, M38, M62, M68, and M82B Magnalocks
- Available in clear, polished brass or oil rubbed bronze finish
- MagnaCare® lifetime replacement, no fault warranty

<b>≫</b> MODE		PART #   Description
	Sex Bolt - Replacement, Clear	
SB-1-03	Sex Bolt - Replacement, Polished Brass	
SB-1-10B	Sex Bolt - Replacement, Oil-Rubbed Bronze	





#### **DC » DRESS COVERS**

- Use with M32, M62, and M82
- Install using foam adhesive tape
- · Available in clear, black, polished stainless and polished brass finish
- MagnaCare® lifetime replacement, no fault warranty

>> MODE	LS	PART#   Description	
DC-32BK	DC - M32, Black Anodiz	ed	
DC-32BP	DC - M32, Brass Polishe	d	
DC-32CL	DC - M32, Clear Anodize	ed	
DC-32SP	DC - M32, Stainless Poli	shed	
DC-62BK	DC - M62, Black Anodized		
DC-62BP	DC - M62, Brass Polished		
DC-62CL	DC - M62, Clear Anodized		
DC-62SP	DC - M62, Stainless Polished		
DC-82BK	DC - M82, Black Anodized		
DC-82BP	DC - M82, Brass Polishe	d	
DC-82CL	DC - M82, Clear Anodized		
DC-82SP	DC - M82, Stainless Polished		

**SECURITRON.**COM

## **ACCESSORIES**

# for M32/62/82 Magnalocks<sup>®</sup>





#### **DDC » DOUBLE DRESS COVERS**

- · Available in clear and black finish
- For use with a pair of Magnalocks on a double door separated by no more than 2"
- Not for use with the DM62 Magnalock
- MagnaCare® lifetime replacement, no fault warranty

<b>≫</b> MODE	LS	PART#   Description
DDC-32BK	DDC- M32, Black Anodi	zed
DDC-32CL	DDC - M32, Clear Anodized	
DDC-62BK	DDC - M62, Black Anodized	
DDC-62CL	DDC - M62, Clear Anodi	zed





Model	A	В	С	Max Length*
HHD-32	1.75"	2.1"	2.35"	96"
HHD-62	2.1"	2.6"	3.5"	96"
HHD-82	2.1"	2.6"	3.5"	96"
HHSL-32	1.75"	2.1"	2.35"	48"
HHSL-62	2.1"	2.6"	3.5"	48"
HHSR-32	1.75"	2.1"	2.35"	48"
HHSR-62	2.1"	2.6"	3.5"	48"
HVD-32	1.75"	2.1"	2.35"	96"
HVD-62	2.1"	2.6"	3.5"	96"
HVD-82	2.1"	2.6"	3.5"	96"

\*Full length housings are individually manufactured to custom specifications up to the maximum length shown.




## **ACCESSORIES** for M32/62/82 Magnalocks<sup>®</sup>

## HHD / HHSL / HHSR / HVD » FULL LENGTH HOUSINGS

- Vertical or horizontal configurations
- Fit one or two locks (not included)
- (SLR) Single Left Hand Reverse
- (SRR) Single Right Hand Reverse
- MagnaCare® lifetime replacement, no fault warranty

>> MODE	PART#   Description		
HHD-32	Lock Housing for M32 - Dbl. Horizontal		
HHD-62	Lock Housing for M62 - Dbl. Horizontal		
HHD-82	Lock Housing for M82 - Dbl. Horizontal		
HHSL-32	Lock Housing for M32 - SLR Horizontal		
HHSL-62	Lock Housing for M62 - SLR Horizontal		
HHSR-32	Lock Housing for M32 - SRR Horizontal		
HHSR-62	Lock Housing for M62 - SRR Horizontal		
HVD-32	Lock Housing for M32 - Dbl. Vertical		
HVD-62	Lock Housing for M62 - Dbl. Vertical		
HVD-82	Lock Housing for M82 - Dbl. Vertical		
Ref	Reference the table below. Indicate size when orderina.		





31